

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
1	BRS	L2 3	66 2	((model near3 (accord\$4 or based))with (configur\$6 or upgrad\$3))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:58
2	BRS	L2 5	2	123 same (network adj3 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:55
3	BRS	L2 6	96	123 same (parameter or value)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:19
4	BRS	L2 7	2	124 same (parameter or value)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:24
5	BRS	L2 4	25	((model near3 (accord\$4 or based))with ((configur\$6 or upgrad\$3)near3 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:05
6	BRS	L2 8	5	((model near3 (accord\$4 or based))with ((configur\$6 or upgrad\$3)near3 (device or apparatus)))	EPO; JPO; DERWE NT	2004/03/16 13:51
7	BRS	L2 9	3	123 same (configur\$6 near6 (software adj2 component))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:17
8	BRS	L3 0	4	123 and (configur\$6 near6 (software adj2 component))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:18
9	BRS	L3 1	3	123 same (configuration adj2 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:21

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
10	BRS	L3 2	0	(autimatic\$6 adj3 provision\$3)near6 (configuration adj2 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:22
11	BRS	L3 3	0	(autimatic\$6 adj3 provision\$3)near6 (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:23
12	BRS	L3 5	0	134 same (stor\$3 near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:24
13	BRS	L3 7	0	134 same (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:41
14	BRS	L3 8	0	136 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:33
15	BRS	L3 6	6	134 and (stor\$3 near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:25
16	BRS	L3 4	12 5	(automatic\$6 adj3 provision\$3)near6 (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:27
17	BRS	L3 9	30	((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:53

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
18	BRS	L4 1	0	139 same (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:41
19	BRS	L4 2	3	139 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:42
20	BRS	L4 0	6	139 with database	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:46
21	BRS	L4 3	20 44	(remot\$3 near3 (configur\$6 or provision\$4))with (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54
22	BRS	L4 4	0	143 same (model with (configur\$6 adj2 (parameter or value)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:52
23	BRS	L4 5	1	143 and (model with (configur\$6 adj2 (parameter or value)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:52
24	BRS	L4 6	0	143 and (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:03
25	BRS	L4 7	25 22	(server near3 (configur\$6 or provision\$4))with (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
26	BRS	L4 8	5	147 same (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:05
27	BRS	L4 9	16	123 same ((stor\$4 or sav\$3)near4 database)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:56
28	BRS	L5 0	3	123 same ((model near3 (stor\$4 or sav\$3)near4 database))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:56
29	BRS	L5 1	6	((device or apparatus)near3 initializ\$6)same (model near2 (stor\$3 or sav\$3))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:01
30	BRS	L5 2	15 75	(network adj2 (device or apparatus)) near4 (configur\$7 or initializ\$6)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:02
31	BRS	L5 3	0	152 same (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:04
32	BRS	L5 4	2	152 and (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:32
33	BRS	L5 5	11 4	152 with (automatic\$4 or dynallic\$4)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:04

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
34	BRS	L5 6	1	155 and (((stor\$4 or sav\$4)near3 model))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:23
35	BRS	L5 8	5	157 same database	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:25
36	BRS	L5 7	35	(configur\$7 near6 (software adj2 component))with (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:30
37	BRS	L5 9	46	((object\$oriented or model)near3 (based or accordance))with (configur\$7 near6 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:32
38	BRS	L6 0	0	159 and (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:33
39	BRS	L6 1	0	159 and (((stor\$4 or sav\$4)near3 object)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 14:33
40	BRS	L6 2	7	159 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:10
41	BRS	L6 3	1	5261044.pn.	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:08

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
42	BRS	L6 4	13 1	((device or apparatus)near4 registrat\$4)near6 database	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:09
43	BRS	L6 5	0	164 same ((stor\$4 or sav\$4)near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:10
44	BRS	L6 6	0	164 and ((stor\$4 or sav\$4)near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:10
45	BRS	L6 7	0	164 same (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:10
46	BRS	L6 8	1	164 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 16:10

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
1	BRS	L2 3	66 2	((model near3 (accord\$4 or based))with (configur\$6 or upgrad\$3))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:02
2	BRS	L2 5	2	123 same (network adj3 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:55
3	BRS	L2 6	96	123 same (parameter or value)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:19
4	BRS	L2 7	2	124 same (parameter or value)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:24
5	BRS	L2 4	25	((model near3 (accord\$4 or based))with ((configur\$6 or upgrad\$3)near3 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:05
6	BRS	L2 8	5	((model near3 (accord\$4 or based))with ((configur\$6 or upgrad\$3)near3 (device or apparatus)))	EPO; JPO; DERWE NT	2004/03/16 13:51
7	BRS	L2 9	3	123 same (configur\$6 near6 (software adj2 component))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:17
8	BRS	L3 0	4	123 and (configur\$6 near6 (software adj2 component))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:18
9	BRS	L3 1	3	123 same (configuration adj2 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:21

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
10	BRS	L3 2	0	(autimatic\$6 adj3 provision\$3)near6 (configuration adj2 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:22
11	BRS	L3 3	0	(autimatic\$6 adj3 provision\$3)near6 (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:23
12	BRS	L3 5	0	134 same (stor\$3 near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:24
13	BRS	L3 7	0	134 same (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:41
14	BRS	L3 8	0	136 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:25
15	BRS	L3 6	6	134 and (stor\$3 near3 model)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:25
16	BRS	L3 4	12 5	(automatic\$6 adj3 provision\$3)near6 (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:27
17	BRS	L3 9	30	((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:53

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
18	BRS	L4 1	0	139 same (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:41
19	BRS	L4 2	3	139 and (configur\$6 near4 (parameter or value))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:42
20	BRS	L4 0	6	139 with database	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:46
21	BRS	L4 3	20 44	(remot\$3 near3 (configur\$6 or provision\$4))with (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54
22	BRS	L4 4	0	143 same (model with (configur\$6 adj2 (parameter or value)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:52
23	BRS	L4 5	1	143 and (model with (configur\$6 adj2 (parameter or value)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:52
24	BRS	L4 6	0	143 and (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54
25	BRS	L4 7	25 22	(server near3 (configur\$6 or provision\$4))with (device or apparatus)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54

	Typ e	L #	Hi ts	Search Text	DBs	Time Stamp
26	BRS	L4 8	5	147 same (((stor\$4 or sav\$4)near3 model)with (type adj4 (device or apparatus)))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:54
27	BRS	L4 9	16	123 same ((stor\$4 or sav\$3)near4 database)	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:56
28	BRS	L5 0	3	123 same ((model near3 (stor\$4 or sav\$3)near4 database))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 13:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	5944783.pn.	USPAT	2004/03/16 08:27
2	BRS	L2	1	6255943.pn.	USPAT	2004/03/16 08:27
3	BRS	L4	1	6446076.pn.	USPAT	2004/03/16 08:27
4	BRS	L3	1	6314555.pn.	USPAT	2004/03/16 08:44
5	BRS	L5	0	((automat\$7 adj2 provision\$3)near3 framework)with server	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 08:46
6	BRS	L6	1	((automat\$7 adj2 provision\$3)near3 framework)with server	EPO; JPO; DERWE NT	2004/03/16 08:55
7	BRS	L7	10	(remot\$3 near3 configur\$6)near6 (network adj3 (device or apparatus))	EPO; JPO; DERWE NT	2004/03/16 08:55
8	BRS	L8	0	((automat\$7 adj2 provision\$3)near3 framework)with server	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 08:55
9	BRS	L9	48	(remot\$3 near3 configur\$6)near6 (network adj3 (device or apparatus))	USPAT ; US-PG PUB; IBM_T DB	2004/03/16 09:10